## TCL C855 85C855 TV 2,16 m (85") 4K Ultra HD Smart TV Wifi Noir 3500 $cd/m^2$

Marque : TCL Famille de produit: C855 Code produit: 85C855

Nom du produit : 85C855

TCL C855 85C855. Taille de l'écran: 2,16 m (85"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: LED, Forme d'écran: Plat, Rétroéclairage LED: Mini LED. Smart TV. Mouvement d'interpolation technologie: PPI (Picture Performance Index) 4800, Luminosité de l'écran: 3500 cd/m², Temps de réponse: 5,7 ms, Format d'image: 16:9. Format du système de signal numérique: DVB-C, DVB-S2, DVB-T2. Wifi, Ethernet/LAN. Couleur du produit: Noir





Display		Performance	
Display diagonal *	2.16 m (85")	Multi View	✓
HD type *	4K Ultra HD	Smartphone/tablet remote support	✓
Display technology *	LED	USB cloning	<b>✓</b>
LED backlight	✓	DVD player	×
LED backlighting type	Mini LED		
Screen shape *	Flat	Ports & interfaces	
Native aspect ratio *	16:9	HDMI version	2.1
Display brightness *	3500 cd/m <sup>2</sup>	HDMI Quick Switch	✓
Response time	5.7 ms	Audio Return Channel (ARC)	✓
Progressive scan	✓	HDCP	✓
Motion interpolation technology *	PPI (Picture Performance Index) 4800	HDCP version	2.2
Native refresh rate	144 Hz	PC in (D-Sub) *	×
Display refresh rates supported	100 Hz, 120 Hz, 144 Hz, 240 Hz	DVI port	×
Dynamic contrast ratio marketing	, , ,	Ethernet LAN (RJ-45) ports	1
name	Mega Contrast	USB 2.0 ports quantity *	1
Display resolution *	3840 x 2160 pixels 215.9 cm	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Display diagonal (metric)	215.9 Cm ✓	Audio (L/R) out	1
Anti-glare screen		Digital audio optical out	1
Colour gamut standard Peak luminance ratio	Rec. 709 23%	RF ports quantity	2
Peak luminance ratio	23%	RF connector type	F, IEC
TV tuner		Common interface (CI) *	<b>✓</b>
Tuner type *	Analog & digital	Common interface Plus (CI+) *	✓
Analog signal format system *	NTSC, PAL BG, PAL DK, PAL I, PAL L, SECAM B/G, SECAM D/K, SECAM L	Common interface Plus (CI+) version	1.4
Digital signal format system *	DVB-C, DVB-S2, DVB-T2	HDMI ports quantity *	4
Number of tuners	1 tuner(s)	Consumer Electronics Control (CEC)	
Auto channel search	✓	Management features	
Smart TV		Voice control	,
Smart TV *	✓		<b>✓</b>
Internet TV *	<b>✓</b>	Electronic Programme Guide (EPG)	•
Operating system installed *	Google TV	Programming period	8 day(s)
Operating system version	ATV 12.0	On Screen Display (OSD)	✓

Sinart TV         Management Eurose         ALB. Sulparian, Croatian, Cereb, Danish, Cereban, Carolin, Cereban, Carolin, Cereban, Carolin, Cereban, Carolin, Cereban, Cer				
	Smart TV		Management features	
Wheth   White   Whit	Apple AirPlay 2 support	✓	Number of OSD languages	
(HebTV) version	(HbbTV)	•		Danish, German, Dutch, English,
Smart modes         IMAX Enhanced, Sports         Portugueer, Romanian, Russian, Bussian, Bussian, Bussian, Suedish, Sports, Sowed, Sovereila, Swedish, Turish, Ukrainian Swedish, Sports, Marcon Prime Video, Apple TV, Video apps         Auto power off         Critical, Ukrainian Swedish, Turish, Ukrainian Swedish, Turish, Ukrainian Swedish, Turish, Ukrainian Swedish, Sports, Marcon Primes Video, Apple TV, Video apps         Auto power off         Video apps         Video a	•	2.0.3	On Screen Display (OSD) languages	
App distribution platform         Google Play         Auto power off         Variety         Variety         Variety         Auto power off         Variety	Smart modes	IMAX Enhanced, Sports		
App of Entitletion platform         Google Play Disney, HIRO, Netflix, Twitch, Volunt-but         Auto power off         Firmware upgradeable         Firmware upgradeable         Activation           Audio         Trout Tube         Works with Aman Mexa         Activation         Activation           RNS rated power **         6         Works with the Google Assistant         Activation         Activation           Audio durpt channels         2.2.2 channels         Power         Power           Builtin subword         7         Power consumption (typical)*         45 00 W           Audio decoders         OTS VirtualiX, DTS.X, Doby Armon, Dobly Audio, Dobly TureHD         Power consumption (typical)*         45 00 W           Equalizer         7         Energy deficiency class (FDR)*         6         7           Equalizer Audio Return Channel         7         Energy deficiency class (FDR)*         6         7           Equalizer Audio Return Channel         7         Energy deficiency class (FDR)*         6         7           Network         7         Activation (Frequency)         12 kWh         12 kWh           Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ex)         Fire Consumption (typical)**         At to G           Wi-Fi 4 (802.11n, Wi-Fi 6 (802.11ex)         Fire Consumption (Typical)**         At to G <t< td=""><td>Built-in Chromecast</td><td>✓</td><td></td><td></td></t<>	Built-in Chromecast	✓		
Video apps         Amazon / Prime Vidos, Apple IV, Notifu, Twitch, Vol. 10 (19 may 19 may	App distribution platform	Google Play	Auto power off	
NouTube   Firmware upgradeable   Metwork USB   Metwork U	V. 1		•	
Audio         Firmware upgradeable via         Network, USB           Number of speakers*         6         Works with Amazon Alexa         ✓           Audio output channels         2.2.2 channels         Power         ✓           Bulli-in subwoefer         ✓         ✓         Audio decoders         OTS Virtual/K, DTS.X, Dolby Atmosphilor (springle)*         Power consumption (springle)*         0.5 W           Equalizer         Prover consumption (springle)*         0.5 W         Power consumption (springle)*         0.5 W           Equalizer Pathod quantity         Femaly efficiency class (SDR)*         Apple Alpha (PMR)*         Apple Alpha (PMR)*<	video apps		•	
Number of speakers*         60 W         Works with Amazon Alexa         ✓           RMS rated power*         60 W         Works with the Google Assistant         ✓           Audio output channels         2.2.2 channels         Power         V           Built-in subwoofer         V         Power consumption (typical)*         450 W           Audio decoders         DTS Virtual/X, DTSX, Dolby Atmosphore         Power consumption (typical)*         450 W           Equalizer         Power consumption (typical)*         450 W         Power consumption (typical)*         50 W           Equalizer bands quantity         7         Energy efficiency class (RDR)*         6         Ferry consumption (SDR) per 1000         134 kWh           Auto volume leveller         V         Energy consumption (SDR) per 1000         134 kWh         Auto volume (SDR)         42 kWh           Network         V         Active (RDR)         42 kWh         Auto volume (RDR)         Auto volume (RDR)         Auto volume (RDR)         A	Audio		. 5	
RNS rated power         60 W         Works with the Google Assistant         V           Audio output channels         2.2.2 channels         Power           Bullitin subwoofer         V         450 W           Audio decoders         DTS Virtual-X, DTS-X, Dolby Artines poliby Audio, Dulby TrueHO         Power consumption (tsprice)         0.5 W           Equalizer         Y         Energy efficiency class (CBR)*         F           Equalizer bands quantity         7         Energy efficiency class (CBR)*         G           Enhanced Audio Return Channel (eARC)         Y         Energy consumption (SDR) per 1000         134 kWh           (eARC)         WiFFI (100 hours**         412 kWh           WiFFI *         AC (input voitage         220 - 240 V           WiFFI *         AC (input voitage         220 - 240 V           WiFFI *         AC (input voitage         220 - 240 V           WiFFI *         AC (input voitage         220 - 240 V           WiFFI *         AC (input voitage         4 to G           Blueboth*         Y         AC (input voitage         4 to G           Blueboth*         Y         AC (input voitage         4 to G           WiFFI *         Y         AC (input voitage         4 to G           WiFFI *		6		
Audio output channels         2.2.2 channels         Power           Bulli-in subwoofer         PTS Virtual X, DTS X, Dolby Atmos Dolby Audio, Dolby TureHD         Power consumption (typical)* 0.5 W           Equalizer         PS Virtual X, DTS X, Dolby Atmos Dolby Audio, Dolby TureHD         Power consumption (typical)* 0.5 W           Equalizer bands quantity         7         Energy censumption (SDR) per 1000 hours*         134 kWh           Auto volume leveller         -         Energy consumption (HDR) per 1000 hours*         134 kWh           Enhanced Audio Return Channel (eARC)         -         Energy consumption (HDR) per 1000 hours*         134 kWh           Network         -         AC input voltage         220 - 240 V           Wi-Fi 1 standards         (800,211ac), Wi-Fi 6 (802.11ax)         Energy consumption (HDR) per 1000 hours*         412 kWh           Bluetooth **         -         Colony Hill (Regular) frequency         50 Hz         40 Apr 147 kWh           Wi-Fi 1 standards         V         Effect (802.11ax)         Energy consumption (HDR) per 1000 hours*         410 Apr 147 kWh           Bluetooth **         V         AC input frequency         50 Hz         App 4 Apr 347 kWh           Wi-Fi 1 standards         V         TCL technologies (AVTV)         App 4 Apr 347 kWh         App 4 Apr 347 kWh           Wi-Fi 2 standards				
Bull-in subwoofer         Power Consumption (typical)*         450 W Power Consumption (standby)*         0.5 W Power Po	•		-	•
Audio decoders		<b>✓</b>		
Equalizer	Audia dagadara	DTS Virtual:X, DTS:X, Dolby Atmos,		
Equalizer bands quantity         7         Energy efficiency class (HDR)*         G           Auto volume leveller         v         Energy consumption (SDR) per 1000         134 kWh           Enhanced Audio Retum Channel (eARC)         Energy consumption (HDR) per 1000         412 kWh           Network         V         AC input voltage         220 - 240 V           Wi-Fi*         V         AC input frequency         50 Hz           Wi-Fi standards         (802.11ac), Wi-Fi 6 (802.11ax)         Brand-specific features         Ato G           Bluetooth version         5.2         TCL technologies (AV/TV)         Apple AirPlay, DTS HD, Dolby Audio®, Game Matries 30, Google TV, HDM ARC, HDR (High Dymanic Range), Motion Clarity Pro, T-cast, Wi-Fi Direct         ACDP, HID         AK HDR PREMIMM 3300           Wi-Fi Direct         4         Sustainability         TÜV mark           Web browser         4         Sustainability         TÜV mark           Poesign         Y         Sustainability certificates         TÜV mark           VESA mounting **         Y         Widh (with stand)         1887 mm           VESA mounting interface         600 x 500 mm         Depth (with stand)         1887 mm           Panel mounting interface         600 x 500 mm         Weight (with stand)         1887 mm           Stand	Audio decoders	Dolby Audio, Dolby TrueHD		
Emergy consumption (SDR) per 1000   134 kWh	·			
Entering Audio National Network		7		
(eARC)         Fleeting standards (Not lage)         412 kWh           Network         AC input votage         220 - 240 V           Wi-Fi *         Y         Ac input frequency         50 Hz           Wi-Fi standards         Wi-Fi 4 (802.11a), Wi-Fi 6 (802.11ax)         Brand-specific features         A to G           Bluetooth **         Y         Apple AirPlay, DTS HD, Dolby Audio®, Game Master 31, Google TV, HDMI ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, Almos®, Dolby Audio®, Game Master 31, Google TV, HDMI ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, Almos®, Dolby Audio®, Game Master 31, Google TV, HDMI ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, Almos@, Motion Clarity Pr		•	37 1 1	134 kWh
Wi.Fi.*         V         AC input frequency         50 Hz           Wi.Fi standards         Wi.Fi 4 (802.11ar), Wi.Fi 5 (802.11ax)         Energy efficiency scale         A to G           Bluetooth *         Y         Bluetooth version         5.2         Apple AirPlay, DTS HD, Dolby Atmos®, Dolby Audio®, Game Master 3.0, Google TV, HDMI ARC, HDR (High Dynamic Asange), Motion Clariby Pro, T.cast, and Standard Clariby Pro, T.cast, and KHDR PREMIUM 3300         Apple AirPlay, DTS HD, Dolby Atmos®, Dolby Audio®, Game Master 3.0, Google TV, HDMI ARC, HDR (High Dynamic Asange), Motion Clariby Pro, T.cast, and KHDR PREMIUM 3300           Wi-Fi Direct         Y         Sustainability         Y         HDMI ARC, HDR (High Dynamic AKR) HDMI ARC, HDR (High Dynamic Asange), Motion Clariby Pro, T.cast, and KHDR PREMIUM 3300         Y         Wistainability compliance         Y         V         Wistainability compliance         Y         V         V         V         Wistainability compliance         Y         V         V         V         V         Weight Cwilmensions         V         V         V         V         V         Motion Milk (with stand)         1887 mm         W         V         V         Width (with stand)         1887 mm         W         W         Y         Weight (with stand)         1887 mm         W         W         Weight (with stand)         1887 mm         W         W         W         Weight (with stand		<b>✓</b>		412 kWh
Wi-Fi standards	Network		· -	
Wi-Fi standards   (802.11ac), Wi-Fi 6 (802.11ax)   Brand-specific features   Apple AirPlay, DTS HD, Dolby Audio®, Game Attends	Wi-Fi *	✓	, , ,	
Bluetooth	Wi-Fi standards		Energy efficiency scale	A to G
Bluetooth version 5.2 Ethernet LAN*			Brand-specific features	
Ethernet LAN*       Y       TCL technologies (AV/TV)       Master 3.0, Google TV. HDMI ARC, HDM (High Dynamic Range), Motion Clarity Pro, T-cast, 4K HDR PREMIUM 3300         Wi-Fi Direct       Y       Sustainability         Bluetooth profiles       A2DP, HID       Y         Web browser       Y       Sustainability compliance       Y         Possign       Sustainability compliance       Y         Product colour*       Black       Weight & dimensions         VESA mounting*       Y       Width (with stand)       1887 mm         Panel mounting interface       600 x 500 mm       Depth (with stand)       418 mm         LED indicators       Y       Weight (with stand)       1122 mm         Frameless design       Y       Weight (with stand)       1887 mm         Introduction year       2024       Width (without stand)       1887 mm         Stand type       Center stand       Height (without stand)       1887 mm         High Dynamic Range (HDR)       Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR)       Stand width (without stand)       1887 mm         High Dynamic Range (HDR)       Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10) High Dynamic Range				
Wi-Fi Direct         ✓         Rangel, Motion Clarity Pro, T-cast, 4K HDR PREMIUM 3300           Bluetooth profiles         A2DP, HID           Miracast         ✓         Sustainability           Web browser         ✓         Sustainability certificates         TÜV mark           Design         ✓         Weight & dimensions           VESA mounting *         ✓         Weight & dimensions           VESA mounting *         ✓         Width (with stand)         1887 mm           Panel mounting interface         600 x 500 mm         Depth (with stand)         418 mm           LED indicators         ✓         Weight (with stand)         1887 mm           Frameless design         ✓         Weight (with stand)         1887 mm           Introduction year         2024         Weight (without stand)         1887 mm           Stand type         Center stand         Depth (without stand)         1887 mm           Performance         Dolby Vision, Dolby Vision IO, High Dynamic Range (HDR)         Weight (without stand)         46.1 kg           High Dynamic Range (HDR)         Dynamic Range 10 (HDR10), High Dynamic Range (HDR)         Stand depth         410.5 cm           Stand depth         Packaging data         41.8 cm           Game mode         ✓         Packag			TCL tachnalogies (A)/(T)/)	
Bluetooth profiles         A2DP, HID         Sustainability           Miracast         ✓         Sustainability compliance         ✓           Design         Sustainability compliance         ✓           Product colour **         Black         Weight & dimensions         TÜV mark           VESA mounting **         ✓         Width (with stand)         1887 mm           Panel mounting interface         600 x 500 mm         Depth (with stand)         418 mm           LED indicators         ✓         Weight (with stand)         1122 mm           Frameless design         ✓         Weight (with stand)         1887 mm           Introduction year         2024         Weight (with stand)         1887 mm           Stand type         Center stand         Depth (without stand)         1887 mm           Performance         Dolby Vision, Dolby Vision IO, High Oynamic Range 10 (HDR10), High Oynamic Range 10 (HDR10) High Oynamic R			rec technologies (AV/TV)	
Miracast     V     Sustainability compliance     V       Design     Sustainability compliance     V       Product colour*     Black     Weight & dimensions       VESA mounting interface     600 x 500 mm     Width (with stand)     1887 mm       Panel mounting interface     600 x 500 mm     Depth (with stand)     1122 mm       LED indicators     V     Weight (with stand)     1122 mm       Frameless design     V     Weight (with stand)     1887 mm       Introduction year     2024     Weight (without stand)     1887 mm       Stand type     Center stand     Pertormance     Weight (without stand)     1887 mm       Performance     Weight (without stand)     1084 mm       High Dynamic Range (HDR) by Dynamic Range 10 (HDR10), High Dynamic Rang		-		
Design       ✓       Sustainability compliance       ✓         Product colour *       Black       Weight & dimensions         VESA mounting *       ✓       Width (with stand)       1887 mm         Panel mounting interface       600 x 500 mm       Depth (with stand)       418 mm         LED indicators       ✓       Height (with stand)       1122 mm         Frameless design       ✓       Weight (with stand)       48 kg         Introduction year       2024       Width (without stand)       39 mm         Stand type       Center stand       Depth (without stand)       39 mm         Height (without stand)       1084 mm       Weight (without stand)       1084 mm         Height (without stand)       1084 mm       Weight (without stand)       1084 mm         Height (without stand)       1084 mm       Weight (without stand)       1084 mm         Weight (without stand)       1084 mm       Weight (without stand)       1084 mm         Weight (without stand)       1084 mm       Stand width       \$14.0 cm         Stand width       \$140.5 cm       Stand width       \$140.5 cm         Stand depth       \$2 cm       \$2 cm       \$2 cm         Game mode       ✓       Package width       1266		AZDP, HID	Sustainability	
Design         Sustainability certificates         TÜV mark           Product colour *         Black         Weight & dimensions           VESA mounting *         ✓         Width (with stand)         1887 mm           Panel mounting interface         600 x 500 mm         Depth (with stand)         418 mm           LED indicators         ✓         Height (with stand)         1122 mm           LED indicators         ✓         Weight (with stand)         48 kg           Frameless design         ✓         Width (without stand)         1887 mm           Introduction year         2024         Depth (without stand)         39 mm           Stand type         Center stand         Depth (without stand)         1084 mm           Performance         Weight (without stand)         1084 mm           Weight (without stand)         46.1 kg           Stand width         140.5 cm           Stand width         240.5 cm           Face width (without stand)         2050 mm		4		
Product colour * VeSA mounting *		•	, ,	
VESA mounting *			·	10 V Mark
Panel mounting interface LED indicators  V Height (with stand) Heigh (with stand) 1122 mm Weight (with stand) 1122 mm Weight (with stand) 1887 mm Introduction year Stand type Center stand  Performance  Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Hybrid Log-Gamma (HLG)  Game mode  Feletext function  Subtitles function  Video formats supported AVI, H.264, H.265, MKV, MP4, MP6, TS, VP9, WEBM, WMV Ambient light sensor  AVI, H.264, H.265, VP9 Ambient mode  Fermance  Book 500 x 500 mm  Weight (with stand) Weight (without stand) 1887 mm 18			9	1007
LED indicators  Frameless design  Framelest (without stand)  Framele (without stand)  Framelest (without stand)  France  Framelest (without stand)  France  Framelest (without stand)  France  France  France  Framelest (without stand)  France  Fran	•			
Frameless design Introduction year Stand type  Performance  Bigh (with stand)  Als kg  Weight (with stand)  Als kg  Width (without stand)  Bepth (without stand)  Als kg  Bepth (without stand)  Als kg  Bepth (without stand)  Als kg  Bepth (without stand)  Bepth (without stand	· ·		·	
Note the stand of			<del>-</del>	
Stand type  Center stand  Depth (without stand) Height (without stand)  Weight (without stand) Holy (without stand) Hold (w	J.			
Performance    Height (without stand)   1084 mm	•		Depth (without stand)	39 mm
Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) bynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Package width 2050 mm  Teletext function		Center Stand	Height (without stand)	1084 mm
High Dynamic Range (HDR) bynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)  Game mode  Game mode  Teletext function  Subtitles function  Video formats supported  AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV  Audio formats supported  MP3, WMA  Image formats supported  WP3, WMA  Image formats supported  MP4, HEIF, JPG  Video compression formats  AV1, H.264, H.265, VP9  Mounting kit  X  Ambient light sensor  Ambient mode  AV2, Yes  Ambient mode  AV3, MP4, MP6, TS, VP9  AMBIENT MP3, WMA  AV4, H.264, H.265, VP9  AMBIENT MP4, MP6, MP3, WMA  AMBIENT MP4, MP6, MP4, MP6, MP3, WMA  AMBIENT MP4, MP6, MP4, MP6, MP3, WMA  AMBIENT MP4, MP4, MP6, MP4, MP6, MP3, WMA  AMBIENT MP4, MP4, MP6, MP4, MP6, MP4, MP6, MP4, MP6, MP3, WMA  AMBIENT MP4, MP4, MP4, MP6, MP4, MP4, MP6, MP4, MP6, MP4, MP4, MP4, MP4, MP6, MP4, MP4, MP6, MP4, MP4, MP4, MP6, MP4, MP4, MP4, MP6, MP4, MP4, MP4, MP6, MP4, MP4, MP6, MP4, MP4, MP6, MP4, MP4, MP6, MP4, MP4, MP4, MP6, MP4, MP4, MP4, MP4, MP4, MP4, MP4, MP4	Performance	<b>-</b> 11 - 11 - 12 - 13 - 13 - 13 - 13 - 13 -	,	-
technology  Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)  Packaging data  Feletext function  Teletext function  Video formats supported  AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV  Audio formats supported  MP3, WMA  Image formats supported  WP3, WHA  Wideo compression formats  AV1, H.264, H.265, VP9  Mounting kit  X  Ambient light sensor  AWI, H.264, H.265, VP9  Remote control type  RC933	High Dynamic Range (HDR)			
Game mode  V Package width Package depth 195 mm  Subtitles function Video formats supported AvI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported BMP3, WMA Image formats supported Video compression formats AV1, H.264, H.265, VP9 Mounting kit Ambient light sensor Ambient mode  V Package weight Package weight Fackage weight Package weight Package weight Fackage weight Package weight Package weight Package weight Package weight Package weight Package weight Fackage weight Package weight Pack	5	Dynamic Range 10+ (HDR10 Plus),		41.8 cm
Teletext function  Video formats supported AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV  Audio formats supported MP3, WMA Image formats supported WH9, HEIF, JPG Video compression formats AV1, H.264, H.265, VP9  Mounting kit  Ambient light sensor  Ambient mode  Ves  Ambient function  Package depth 195 mm 67.7 kg 67.7 kg Packaging content  Packaging content  Packaging content  Avi, H.264, H.265, VP9  Mounting kit  X  Remote control included  Remote control type RC933		•	Packaging data	
Subtitles function  Video formats supported  AVI, H.264, H.265, MKV, MP4, MP6, TS, VP9, WEBM, WMV  Audio formats supported  MP3, WMA  Image formats supported  BMP, HEIF, JPG  Video compression formats  AV1, H.264, H.265, VP9  Mounting kit  Ambient light sensor  Ambient mode  Yes  Ackage height  Package weight  Packaging content  Desktop stand  Avi  Aunum Mounting kit  X  Remote control included  Remote control type  RC933		<b>✓</b>	•	
Video formats supported  AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV  Audio formats supported  Image formats supported  Image formats supported  BMP, HEIF, JPG  Video compression formats  AV1, H.264, H.265, VP9  Mounting kit  Ambient light sensor  Ambient mode  Avideo formats supported  AVI, H.264, H.265, VP9  Mounting kit  Remote control included  Ambient mode  AREMOTE CONTROL TO BE ACCOUNT OF THE CONTROL TO		<b>✓</b>	•	
Video formats supported  TS, VP9, WEBM, WMV  Audio formats supported  MP3, WMA  Image formats supported  BMP, HEIF, JPG  Video compression formats  AV1, H.264, H.265, VP9  Mounting kit  Ambient light sensor  ✓  Remote control included  ✓  Ambient mode  Yes  Remote control type  RC933	Subtitles function			
Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG Desktop stand Video compression formats AV1, H.264, H.265, VP9 Mounting kit X Ambient light sensor Ves Remote control included Pes RC933		TS, VP9, WEBM, WMV		07.7 Kg
Video compression formats  AV1, H.264, H.265, VP9  Ambient light sensor  ✓  Ambient mode  Yes  Mounting kit  X  Remote control included  ✓  Remote control type  RC933	, ,			/
Ambient light sensor  Ambient mode  Yes  Remote control included  Remote control type  RC933		•	·	
Ambient mode Yes Remote control type RC933	·		•	
	•			
□ Digitaless detection ▼ Sounds at included ↑			• •	
	הווקוונוופסט מפנפננוטוו	•	Samuel meladed	•

## Performance Logistics data Pallet net width 2.2 m Colour detection Pallet net length 80 cm Al Upscale Pallet net height 140.6 cm Backlight dimming technology Local Dimming Products per pallet 4 pc(s) TCL AiPQ Pro Engine Picture processing technology Other features Noise reduction \* High Dynamic Range (HDR) Battery weight 15 g supported \* Built-in camera × Processor cores Battery technology Alkaline AMD FreeSync Country of origin Poland AMD FreeSync type FreeSync Premium Pro Cadmium Doesn't contain Auto Low Latency Mode (ALLM), Digital Living Network Alliance Game features Game Bar 3.0, Variable Refresh (DLNA) certified Rate (VRR), Game Master Pro 3.0 Warranty period 2 year(s) Calman Ready 4K Ultra HD upscaling Adaptive picture





5901292522988

6921732827649

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.