

iiyama TE7512MIS-B3AG affichage de messages En forme de kiosk 190,5 cm (75") LCD Wifi 400 cd/m² 4K Ultra HD Noir Écran tactile Intégré dans le processeur Android 11 24/7

Marque : iiyama

Code produit: TE7512MIS-B3AG

Nom du produit : TE7512MIS-B3AG

iiyama TE7512MIS-B3AG. Conception du produit: En forme de kiosk. Taille de l'écran: 190,5 cm (75"), Technologie d'affichage: LCD, Résolution de l'écran: 3840 x 2160 pixels, Luminosité de l'écran: 400 cd/m², Type HD: 4K Ultra HD, Écran tactile. Wifi. horaires de service (heures/jours): 24/7. Système d'exploitation installé: Android 11. Couleur du produit: Noir



Display		Design	
Panel type	IPS	VESA mounting *	✓
Display diagonal *	190.5 cm (75")	Panel mounting interface	800 x 400 mm
Display technology *	LCD	Bezel width (bottom)	4.5 cm
Display resolution *	3840 x 2160 pixels	Bezel width (side)	1.65 cm
Display brightness *	400 cd/m ²	Bezel width (top)	1.65 cm
HD type *	4K Ultra HD	Performance	
Touchscreen *	✓	Purpose *	Commercial
Touchscreen technology	PureTouch-IR	On Screen Display (OSD)	✓
Number of simultaneous touchpoints	40	On Screen Display (OSD) languages	Czech, Danish, German, English, Spanish, Finnish, French, Italian, Polish, Russian, Slovenian
Native aspect ratio	16:9	Operating hours (hours/days)	24/7
Response time	8 ms	HDCP	✓
Contrast ratio (typical)	1200:1	HDCP version	2.2
Contrast ratio (dynamic)	4000:1	Mean time between failures (MTBF)	50000 h
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	125 W
Display number of colours	1.07 billion colours	Power consumption (standby) *	0.5 W
Pixel pitch	0.4296 x 0.4296 mm	Power consumption (off)	0.3 W
Active display area (W x H)	1650 x 928 mm	AC input voltage	100 - 240 V
Display diagonal (metric)	189.3 cm	AC input frequency	50/60 Hz
Horizontal scan range	30 - 135 kHz	Computer system	
Surface hardness	7H	Computer system *	✗
Glass thickness	3 mm	Built-in processor *	✓
Glass film	AG/AR Film	Processor manufacturer	ARM
Ports & interfaces		Processor family	ARM Cortex
HDMI ports quantity *	4	Processor model	A55
HDMI version	2.0	Processor architecture	ARM Cortex-A55
HDMI input ports quantity	3	Processor cores	4
HDMI output ports quantity	1	Internal memory	8 GB
DVI port *	✗	On-board graphics card model	ARM Mali-G52
VGA (D-Sub) input ports	1	Internal storage capacity	32 GB
USB port *	✓	Operating system installed	Android 11
USB ports quantity	5		
USB version	3.2 Gen 1 (3.1 Gen 1)		

Ports & interfaces		Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Width (with stand)	1709.5 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	3	Depth (with stand)	88 mm
Ethernet LAN *	✓	Height (with stand)	1020 mm
Ethernet LAN (RJ-45) ports	2	Weight (with stand)	47.3 kg
Wi-Fi *	✓	Packaging data	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Package width	1863 mm
RS-232 interface	✓	Package depth	225 mm
RS-232C	✓	Package height	1140 mm
Remote (IR) input	1	Package volume	60600 cm ³
Audio Return Channel (ARC)	✓	Packaging content	
Audio		Remote control included	✓
Built-in speaker(s) *	✓	Batteries included	✓
Number of built-in speakers	2	Cables included	HDMI, Power, USB
RMS rated power	32 W	Wi-Fi module included	✓
Design		Operational conditions	
Product design *	Kiosk design	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	-20 - 60%
Orientation	Horizontal	Certificates	
Product colour *	Black	Certification	CB, CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH, EPA 8.0



4948570123704

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-DEC-2024. Prints or copies of Information are only valid on the printed Publication date