SAMSUNG

Samsung QE65S95BAT 165,1 cm (65") 4K Ultra HD Smart TV Wifi Argent

Marque : Samsung

Code produit: QE65S95BATXXN

Nom du produit : QE65S95BAT


Samsung QE65S95BAT. Taille de l'écran: 165,1 cm (65"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: OLED, Forme d'écran: Plat. Smart TV. Mouvement d'interpolation technologie: PQI (Picture Quality Index) 4600, Format d'image: 16:9. Format du système de signal numérique: DVB-C, DVB-S2, DVB-T2. Wifi, Ethernet/LAN. Couleur du produit: Argent





Display		Performance	
Display diagonal *	165.1 cm (65")	AMD FreeSync	1
HD type *	4K Ultra HD	AMD FreeSync type	FreeSync Premium
Display technology * Screen shape * Native aspect ratio *	OLED Flat 16:9	Game features	Auto Low Latency Mode (ALLM), Dynamic Black EQ, Game Motion Plus, Super Ultra Wide Game View
Motion interpolation technology *	PQI (Picture Quality Index) 4600	4K Ultra HD upscaling	1
Native refresh rate	120 Hz	SmartThings app support	1
Display resolution *	3840 x 2160 pixels	Tap view	1
Display diagonal (metric)	163 cm	360 camera support	1
TV tuner		360 video player support	1
Tuner type *	Analog & digital	Video upscaling	1
Digital signal format system *	DVB-C, DVB-S2, DVB-T2	Wireless Dex support	1
Number of tuners	2 tuner(s)	USB recording	1
Auto channel search	J	ConnectShare (HDD)	1
Smart TV		ConnectShare (USB)	1
Smart TV *	✓	Ports & interfaces	
Internet TV *	1	HDMI Quick Switch	1
Operating system installed *	Tizen	Audio Return Channel (ARC)	1
Screen mirroring	J	PC in (D-Sub) *	×
Sound mirroring	J	Ethernet LAN (RJ-45) ports	1
Hybrid Broadcast Broadband TV (HbbTV)	1	USB 2.0 ports quantity *	2
Hybrid Broadcast Broadband TV		Digital audio optical out	1
(HbbTV) version	2.0.3	RF ports quantity	4
Smart modes	Filmmaker	Common interface (CI) *	1
TV initiate mirroring	1	Common interface Plus (CI+) *	1
Audio		Common interface Plus (CI+) version	1.4
Number of speakers *	2	HDMI ports quantity *	4
RMS rated power *	60 W	Consumer Electronics Control (CEC)	Anynet+
Built-in subwoofer Audio decoders	✓	Management features	
	Dolby Digital, Dolby Digital Plus	Voice control	1
Adaptive sound	▼		

Audio		Management features	
Q-Symphony	1	Electronic Programme Guide (EPG)	1
Music wall	1	On Screen Display (OSD)	1
Active voice amplifier (AVA)	J.	Number of OSD languages	28
Enhanced Audio Return Channel	4	Picture-in-Picture	1
(eARC)	•	Auto power off	1
Network		Power	
Wi-Fi *	1	Power consumption (typical) *	132 W
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Power consumption (standby) *	0.5 W
Bluetooth *	1	Power consumption (max)	360 W
Bluetooth version	5.2	Energy efficiency class (SDR) *	G
Ethernet LAN *	1	Energy efficiency class (HDR) *	G
Wi-Fi Direct	1	Energy consumption (SDR) per 1000 hours *	⁾ 132 kWh
Browsing	J.	Energy consumption (HDR) per	252 1 144
Web browser	1	1000 hours *	252 kWh
HID support	 Image: A set of the set of the	AC input voltage	220 - 240 V
Design		AC input frequency	50 - 60 Hz
Product colour *	Silver	Energy efficiency scale	A to G
VESA mounting *		Weight & dimensions	
Panel mounting interface	300 x 200 mm	Width (with stand)	1444.3 mm
Frameless design	✓	Depth (with stand)	288.2 mm
Introduction year	2022	Height (with stand)	897.6 mm
Bezel type	4 Bezel-less	Weight (with stand)	25.5 kg
Stand type	Center stand	Width (without stand)	1444.3 mm
Stand colour	Silver	Depth (without stand)	39.9 mm
Performance		Height (without stand)	831.7 mm
Ferformance		Weight (without stand)	21.2 kg
High Dynamic Range (HDR)	High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG),	Stand width	36.3 cm
technology	Quantum HDR	Stand depth	28.9 cm
Game mode	✓	Packaging data	
Teletext function	✓	Package width	1650 mm
Subtitles function	1	Package depth	170 mm
Ambient light sensor	1	Package height	950 mm
Ambient mode	Ambient Mode+	Package weight	33.8 kg
Eco sensor	1	Packaging content	
Brightness detection	1	Desktop stand	1
TV key support	1	Remote control included	1
Noise reduction *	×	Smart Remote included	1
High Dynamic Range (HDR)	/	E-manual	✓
supported * Image gallery	4	Other features	
Multi-screen	•	Repairability index	8.1
	•		
IPv6 support	v		



8806094349078

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.