TCL C855 75C855 TV 190,5 cm (75") 4K Ultra HD Smart TV Wifi Noir 3500 cd/m 2

Marque : TCL Famille de produit: C855 Code produit: 75C855

Nom du produit : 75C855

TCL C855 75C855. Taille de l'écran: 190,5 cm (75"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: LED, Forme d'écran: Plat, Rétroéclairage LED: Mini LED. Smart TV. Mouvement d'interpolation technologie: PPI (Picture Performance Index) 4800, Luminosité de l'écran: 3500 cd/m², Temps de réponse: 5,7 ms, Format d'image: 16:9. Format du système de signal numérique: DVB-C, DVB-S2, DVB-T2. Wifi, Ethernet/LAN. Couleur du produit: Noir





Display		Performance	
Display diagonal * HD type * Display technology * LED backlight LED backlighting type	190.5 cm (75") 4K Ultra HD LED ✓ Mini LED	Multi View Smartphone/tablet remote support USB cloning DVD player	✓ ✓ ✓
Screen shape * Native aspect ratio * Display brightness * Response time Progressive scan Motion interpolation technology * Native refresh rate Display refresh rates supported	Flat 16:9 3500 cd/m² 5.7 ms PPI (Picture Performance Index) 4800 144 Hz 100 Hz, 120 Hz, 144 Hz, 240 Hz	Ports & interfaces HDMI version HDMI Quick Switch Audio Return Channel (ARC) HDCP HDCP version PC in (D-Sub) * DVI port	2.1 ✓ ✓ 2.2 ×
Dynamic contrast ratio marketing name Display resolution * Display diagonal (metric) Anti-glare screen Colour gamut standard Peak luminance ratio	Mega Contrast 3840 x 2160 pixels 190.5 cm Rec. 709 36%	Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Audio (L/R) out Digital audio optical out RF ports quantity RF connector type	1 1 1 1 2 F, IEC
TV tuner Tuner type * Analog signal format system * Digital signal format system * Number of tuners Auto channel search	Analog & digital NTSC, PAL BG, PAL DK, PAL I, PAL L, SECAM B/G, SECAM D/K, SECAM L DVB-C, DVB-S2, DVB-T2 1 tuner(s)	Common interface (CI) * Common interface Plus (CI+) * Common interface Plus (CI+) version HDMI ports quantity * Consumer Electronics Control (CEC)	1.4 4
Smart TV Smart TV * Internet TV * Operating system installed * Operating system version	Google TV ATV 12.0	Management features Voice control Electronic Programme Guide (EPG) Programming period On Screen Display (OSD)	✓✓8 day(s)✓

Space In Vision (Apple AirPlay 2 support) V PART AIR				
Power	Smart TV		Management features	
HebTV HebTV Version	Apple AirPlay 2 support	✓	Number of OSD languages	
(FibbTDV) yearion Z.O.3 On Screen Display (OSD) language Change of the Display (OS	(HbbTV)	•		Danish, German, Dutch, English,
Smalt modes IMAX Enhanced, Sports Cyruguese, Romanian, Russian, Bussian, Bussian, Bussian, Bussian, Swedish, Sports, Swedish, Service, Sports, Swedish, S	•	2.0.3	On Screen Display (OSD) languages	
All position platform Google Play Amazon Prime Video, Apple TV, Video apps Auto power off Primavare upgradeable with Primavare	Smart modes	IMAX Enhanced, Sports		
App distribution platform Google Play Namazon Primer video, Apple TV, Dinney+, HBO, Nerflox, Twitch, Twitch, Touri-tube Auto power off y Y Audio Amazon Primer video, Apple TV, Obring-HBO, Nerflox, Twitch, Two Turbub Firmware upgradeable via Network, USB Number of spakers* 5 Works with Amazon Alexa Y Audio output charmels 2.1.2 channels Power Built-in subword OTS Virtual XD, Dolby TureHD Power consumption (typical)* 400 W 0.5 W Built-in subword 7 Power consumption (typical)* 400 W 0.5 W Built-in subword 7 Power consumption (typical)* 400 W 0.5 W Built-in subword 7 Power consumption (typical)* 400 W 0.5 W Equalizar 7 Power consumption (typical)* 5 6 6 Equalizar 7 Power consumption (typical)* 0.5 W 6 6 7 Auto volume leveller - - - - - - - - - - - - - - - <td>Built-in Chromecast</td> <td>✓</td> <td></td> <td></td>	Built-in Chromecast	✓		
Video apps Amazon Prime Vedo, Netfus, Twitch, VolTube Sleep timer ✓ Common Prime Vedo, Netfus, Twitch, VolTube Sleep timer ✓ Common Prime Vedo, Netfus, Twitch, VolTube ✓ Common Prime Vedo, Netfus ✓ Common Vedo, VolTube ✓ Common Vedo,	App distribution platform	Google Play	Auto power off	
Nation	V. 1		•	
Audio Firmware ugradeable via Metwork, USB Metwork (NBP) Metwork (NBP) Metwork (NBP) Very Calciance	video apps		•	
Number of speakers* 5 Works with Amazon Alexa ✓ RNS rated power* 60 W Works with the Google Assistant ✓ Audio output channels 2.1.2 channels Power V Built-in subwoofer ✓ Power consumption (typical)* 400 W Audio decoders DDTS VirtualX, DTSX, Dolby Atmosphale Power consumption (typical)* 400 W Equalizer ✓ Energy efficiency class (RDR)* 6 Equalizer Caulting ✓ Energy efficiency class (RDR)* 6 Ethanced Audio Return Channel ✓ Energy consumption (SDR) per 1000 125 kWh Network V All notions* 20 72 20 V Wi-Fi standards Wi-Fi standards Wi-Fi standards Wi-Fi standards All GREAT (802.11n), Wi-Fi standards Energy efficiency scale A to G Bluetooth * ✓ All GREAT (802.11n), Wi-Fi standards Energy efficiency scale A to G Bluetooth * ✓ All GREAT (802.11n), Wi-Fi standards Energy efficiency scale A to G Bluetooth * ✓ Tolk preserved (10 kms), Wi-Fi standards	Audio		, 3	
RNF rated power* 60 W Works with the Google Assistant V Audio output channels 2.1.2 channels Power Bullish is subwoofer V 4000 wer Audio decoders DTS Virtual/X, DTS:X, Dolby Atmosphology Power consumption (springly) 0.0 W Equalizer Y Energy efficiency class (GDR)* F Equalizer bands quantity 7 Energy efficiency class (GDR)* G Enhanced Audio Return Channell (eARC) Y Energy consumption (SDR) per 1000 125 kWh Enhanced Audio Return Channell (eARC) Y AC Input voltage 20 - 240 V Network Y AC Input voltage 20 - 240 V WiFF1* Y AC Input voltage 20 - 240 V WiFF1* Y AC Input voltage 20 - 240 V WiFF1* Y AC Input voltage 20 - 240 V WiFF1* Y AC Input voltage 20 - 240 V WiFF1* Y AC Input voltage 20 - 240 V WiFF1* Y AC Input voltage 20 - 240 V WiFF1*		5	· -	
Audio output channels 2.1.2 channels Power Bulli- nu wloworder Zhi Si Virtual-X, Drisx, Dolby Armos, Dolby Audio, Dolby Turel-Dolby Audio Audio Return Channel Power consumption (typical)** 0.5 W Equalizer bands quantity 7 Energy consumption (SDR) per 1000* 125 kWh Auto volume leveller 7 Energy consumption (HDR) per 1000* 125 kWh Enhanced Audio Return Channel 8 Energy consumption (HDR) per 1000* 125 kWh Fishanced Audio Return Channel 4 Energy consumption (HDR) per 1000* 125 kWh Rokevork - Acl input requency 50 Hz Mi-Fi ** Wi-Fi ** (802.11n) Wi-Fi ** (80				
Built-in subwoofer Fower Fower Audio decoders DTS Virtual-X, DTS-X, Dolby Atmood Dolby TrueHD Dolby Audio, Dolby TrueHD Dolby Audio, Dolby TrueHD Power consumption (standby)* 0.5 W Power Dolby Audio, Dolby TrueHD Power Dolby Audio, Dolby TrueHD Power Dolby Audio, Dolby TrueHD Power Dolby Audio Po	•		-	•
Audio decoders DIS YRUBIA, DISA,		✓		
Equalizer Common Management of the Common Management of	Audia dagadaya	DTS Virtual:X, DTS:X, Dolby Atmos,		
Equalizer bands quantity 7 Energy efficiency class (HDR)* G Equalizer bands quantity 7 Energy consumption (SDR) per 1000 125 kWh Enhanced Audio Return Channel (eARC) Energy consumption (HDR) per 1000 hours* 375 kWh Network V AC input voltage 220 - 240 V Wi-Fi* V AC input voltage 220 - 240 V Wi-Fi standards (802.11ac), Wi-Fi 6 (802.11ax) Brand-specific features Ato G Bluetooth* V AC input frequency Ato G Bluetooth evrsion 5.2 Brand-specific features Ato G Bluetooth version 5.2 TCL technologies (AV/TV) Apple AirPlay, DTS HD, Dolby Audio®, Game Marter 3.0, Google TV, HDM ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Marter 3.0, Google TV, HDM ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Marter 3.0, Google TV, HDM ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Range), Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Range, Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Range, Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Range, Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Range, Motion Clarity Pro, T-cast, Alk Charter Audio® (AV) Audio®, Came Range, Motion C	Audio decoders	Dolby Audio, Dolby TrueHD		
Energy consumption (SDR) per 1000 125 kWh Neur Enhanced Audio Return Channel (eARC) Energy consumption (HDR) per 1000 hours 375 kWh 375 kW	·			
Auto volume leveller V hours* 125 kWh Enhanced Audio Return Channel (eARC) Fenery consumption (HDR) per (1000 hours* 375 kWh Enhanced Audio Return Channel (eARC) V AC input voltage 220 - 240 V Wi-Fi ** Y AC input voltage 220 - 240 V Wi-Fi standards Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) Burt frequency 50 btz Bluetooth ** Y Apple AirPlay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple AirPlay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby Audio®, Came Apple Airplay, DTS HD, Dolby Atmos®, Dolby		7		
(eARC) Fleely standard (Boot Interview) 375 kWh Wi-Fi * Can (Input Voltage) 20 - 240 V Wi-Fi * Can (Input Voltage) 20 - 240 V Wi-Fi * Can (Input Voltage) 20 - 12 (V Wi-Fi * Can (Boot Input Version) Can (Boot Input Version) Can (Boot Input Version) Apple AirPlay, DTS HD, Dolby Audio®, Game Master 3.0, Google TV, HDMI ARC, HDM (High Dynamic Range), Motion Clarity Pro, T-cast, Although (Boot Range),		•	3, 1 , , , ,	125 kWh
Wi-Fi * V AC input frequency (802.11ar) 50 Hz Wi-Fi standards Wi-Fi 4 (802.11ar), Wi-Fi 5 (802.11ax) Beergy efficiency scale A to G Bluetooth * / Apple AirPlay, DTS HD, Dolby Atmos®, Dolby Audio®, Game Master 3.0, Google TV, HDMI ARC, HDR (High Dynamic Agney), Motion Clarity Pro, T-cast, atk HDR PREMIUM 3300 Apple AirPlay, DTS HD, Dolby Atmos®, Dolby Audio®, Game Master 3.0, Google TV, HDMI ARC, HDR (High Dynamic Agney), Motion Clarity Pro, T-cast, atk HDR PREMIUM 3300 Wi-Fi Direct / Sustainability / Wi-Fi Direct / Sustainability / Wieb browser / Sustainability compliance / Web browser / Sustainability certificates TÜV mark Product colour * Black Weight & dimensions TÜV mark VESA mounting * / Width (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators / Height (with stand) 1667 mm Frameless design / Weight (with stand) 1667 mm Introduction year 2024 Width (with stand) 1		✓		375 kWh
Wi-F1 (802.11ar), Wi-F1 6 (802.11ar), Wi-F1 6 (802.11ar) Energy efficiency scale A to G Bluetooth** /* Bluetooth version 5.2 Apple AirPlay, DTS HD, Dolby Audio®, Game Master 3.0, Google TV, HDMI ARC, HDMI A	Network		· -	
Wi-Fi standards Wi-Fi standards Rand-specific features Bluetooth ** * Apple AirPlay, DTS HD, Dolby Audios, Game Atmoss*, Dolby Audios, Game Master 3.0, Google TV, HDMI ARC, HIGH DY, Ticast, Audios, Dolby Audios, Game Master 3.0, Google TV, HDMI ARC, BM Master 3.0	Wi-Fi *	✓	· · · · · ·	
Bluetooth	Wi-Fi standards		Energy efficiency scale	A to G
Bluetooth version 5.2 Ethernet LAN*			Brand-specific features	
Ethernet LAN* Y TCL technologies (AV/TV) Master 30, Google TV, HDMI ARC, HDR (High Dynamic Range), Motion Clarity Pro, T-cast, 4K HDR PREMIUM 3300 Wi-Fi Direct Y Sustainability Bluetooth profiles A2DP, HID Sustainability Web browser Y Sustainability compliance Y Product colour* Black Weight & dimensions TÜV mark VESA mounting* Y Width (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators Y Weight (with stand) 995 mm Frameless design Y Weight (with stand) 35.4 kg Introduction year 2024 Width (without stand) 1667 mm Stand type Denter stand Depth (without stand) 35.4 kg Frameless design Y Weight (without stand) 667 mm Black Weight (without stand) 1667 mm Black Weight (without stand) 35.4 kg Black Stand width (without stand) 32.1 kg Stand black Stand width 34.1 cm Black Sta				
Wi-Fi Direct ✓ Range, Motion Clarity Pro, T-cast, 4K HDR PREMIUM 3300 Miracast ✓ Sustainability Web browser ✓ Sustainability compliance ✓ Design ✓ Sustainability compliance ✓ VESA mounting * ✓ Sustainability compliance ✓ VESA mounting * ✓ Weight & dimensions VESA mounting interface 500 x 400 mm Depth (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators ✓ Weight (with stand) 955 mm Frameless design ✓ Weight (with stand) 955 mm Introduction year 2024 Weight (with stand) 1667 mm Stand type Center stand Weight (without stand) 961 mm Performance Depth (without stand) 961 mm High Dynamic Range (10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range (10 (HDR10) Plus) Stand depth 34.1 cm Subtitles function ✓ Package width 1848 mm <t< td=""><td></td><td></td><td>TCL technologies (AV/TV)</td><td></td></t<>			TCL technologies (AV/TV)	
Bluetooth profiles A2DP, HID Sustainability 4K HDR PREMIUM 3300 Miracast ✓ Sustainability ✓ Web browser ✓ Sustainability compliance ✓ Design Sustainability compliance ✓ Product colour * Black Weight & dimensions VESA mounting * ✓ Width (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators ✓ Weight (with stand) 995 mm Introduction year 2024 Weight (with stand) 1667 mm Stand type Center stand Depth (without stand) 961 mm Performance Stand widh 32.1 kg High Dynamic Range (10 (HDR10),			TCL technologies (AV/TV)	
Miracast V Sustainability compliance V Design Sustainability certificates V Product colour * Black Weight & dimensions VESA mounting ** V Width (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators V Height (with stand) 995 mm Frameless design V Weight (with stand) 995 mm Introduction year 2024 Weight (with stand) 1667 mm Stand type Center stand Height (without stand) 56 mm Performance Weight (without stand) 961 mm Purphymain Range (HDR) bynamic Range 10 (HDR10), High byn		-		
Design ✓ Sustainability compliance ✓ Product colour * Black Weight & dimensions VESA mounting * ✓ Width (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators ✓ Height (with stand) 995 mm LED indicators ✓ Weight (with stand) 995 mm LED indicators ✓ Weight (with stand) 995 mm LED indicators ✓ Weight (with stand) 35.4 kg Introduction year 2024 Width (without stand) 1667 mm Stand type Center stand Depth (without stand) 56 mm Height (without stand) 961 mm Weight (without stand) 961 mm Performance Weight (without stand) 32.1 kg Stand width 34.1 cm 29.8 cm High Dynamic Range (HDR) Dynamic Range 10 (HDR10) High Dynamic Range 10 (AZDP, HID	Sustainability	
Design Sustainability certificates TÜV mark Product colour * Black Weight & dimensions VESA mounting * ✓ Width (with stand) 1667 mm Panel mounting interface 500 x 400 mm Depth (with stand) 298 mm LED indicators ✓ Height (with stand) 995 mm LED indicators ✓ Weight (with stand) 35.4 kg Frameless design ✓ Width (without stand) 1667 mm Introduction year 2024 Width (without stand) 56 mm Stand type Center stand Depth (without stand) 961 mm Performance Weight (without stand) 32.1 kg Stand width 34.1 cm 34.1 cm Stand bypamic Range (HDR) Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) High Dynamic Range 10+ (HDR10 Plus), High Leg-Gamma (HLG) Fackage width 34.1 cm Fleetext function ✓ Package width 1848 mm Subtitles function ✓ Package width 45.7 kg Video formats supported MPJ, H.264, H.265, MKV, MP4,		4		.1
Product colour * VESA mounting * VESA mounting interface S00 x 400 mm Depth (with stand) Depth (with stand) Pramel mounting interface S00 x 400 mm Depth (with stand) Depth (with stand) S5.4 kg Weight (with stand) S5.4 kg Weight (with stand) S5.4 kg Weight (with ustand) Depth (with ustand) Depth (with ustand) Depth (without stand) Deft mounting interface Depth (without stand) Deft mounting interface Depth (without stand) Deft mounting interface Deft mounting interface Deft without stand) Deft without sta		•		
VESA mounting *			·	TOV Mark
Panel mounting interface500 x 400 mmDepth (with stand)298 mmLED indicators✓Height (with stand)995 mmFrameless design✓Weight (with stand)35.4 kgIntroduction year2024Width (without stand)1667 mmStand typeCenter standDepth (without stand)961 mmPerformanceDolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10) Plus), Hybrid Log-Gamma (HLG)Stand width34.1 cmGame mode✓Packaging dataTeletext function✓Package width1848 mmSubtitles function✓Package height1121 mmVideo formats supportedAVI, H.264, H.265, MKV, MP4, MP6, T5, VP9, WEBM, WMVPackage weight45.7 kgAudio formats supportedMP3, WMAPackaging contentImage formats supportedBMP, HEIF, JPGDesktop stand✓Video compression formatsAV1, H.264, H.265, VP9Mounting kitXAmbient light sensor✓Remote control included✓Ambient modeYesRemote control typeRC933			J	1007
LED indicators Frameless design Introduction year Stand type Center stand Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Feletext function Subtitles function Video formats supported Audio formats supported MP3, WMA Interduction year Audio formats supported MP3, WMA Indige formats supported MP4, H.264, H.265, VP9 Mounting kit Mounting kit MC933 Remote control type RC933	•			
Frameless design Frameless design Introduction year Stand type Center stand Performance Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Hybrid Log-Gamma (HLG) Freletext function Subtitles function Video formats supported MP3, WMA Image formats supported Image formats supported MP3, WMA Introduction year Video compression formats AV1, H.264, H.265, VP9 Ambient light sensor AV1, H.264, H.265, VP9 Ambient mode Veight (without stand) Depth (without stand) Meight (without stand)	J		·	
Introduction year Stand type Performance Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Hybrid Log-Gamma (HLG) Petext function Teletext function Video formats supported AVI, H.264, H.265, MKV, MP4, MP6, TS, VP9, WEBM, WMV Audio formats supported Introduction year AVI, H.264, H.265, VP9 Ambient light sensor AVI, H.264, H.265, VP9 Ambient mode Video formats Vi			-	
Stand type Center stand Depth (without stand) Height (without stand) Performance Performance Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Pynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Game mode Game mode Teletext function Subtitles function Video formats supported Audio formats supported Package formats supported Package wight Package weight Packa	, and the second		3 '	-
Performance Dolby Vision, Dolby Vision IQ, High Dynamic Range (HDR) Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Package width 1848 mm	•		Depth (without stand)	56 mm
High Dynamic Range (HDR) bynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Game mode Teletext function Subtitles function Video formats supported Audio formats supported Audio formats supported Image formats supported MP3, WMA Image formats supported WP3, WMA Image formats supported WP4, H.264, H.265, VP9 Wounting kit Ambient light sensor Ambient mode Weight (Without stand) 34.1 cm Stand width Stand depth 29.8 cm Packaging data Package weight Package weight 1121 mm Package weight 45.7 kg Packaging content Wounting kit X Remote control included Ambient mode RC933		Center Stand	Height (without stand)	961 mm
High Dynamic Range (HDR) technology Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Fackaging data Game mode Fackage width Package depth Package depth Package height Package height Package weight Package	Performance		•	-
Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Game mode Fackage width Package depth Package depth Package height Package height Package width Package depth Package height Package weight Pack	High Dynamic Range (HDR)			
Game mode Very ackage width Teletext function Very ackage depth Subtitles function Video formats supported Video formats supported Audio formats supported MP3, WMA Image formats supported WP3, WMA Video compression formats AV1, H.264, H.265, VP9 Mounting kit Ambient light sensor Ambient mode Very mean mode Package weight Package weight AV5, Vg Package weight Very ackage weight Very ackage weight Very mackage weight V	3, 4	Dynamic Range 10+ (HDR10 Plus),	·	29.8 cm
Teletext function Very ackage depth Subtitles function Video formats supported AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG Video compression formats AV1, H.264, H.265, VP9 Mounting kit Ambient light sensor Ambient mode Yes Remote control type RC933		•	Packaging data	
Subtitles function Video formats supported AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG Video compression formats AV1, H.264, H.265, VP9 Mounting kit Ambient light sensor Ambient mode Yes Armonic control type Remote control type RC933		•	-	1848 mm
AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported MPH, HEIF, JPG Video compression formats AV1, H.264, H.265, VP9 Mounting kit Ambient light sensor Ves Remote control type RC933		✓	• .	
Video formats supported TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG Video compression formats AV1, H.264, H.265, VP9 Mounting kit Ambient light sensor Ves Remote control type RC933	Subtitles function		• •	
Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG Desktop stand Video compression formats AV1, H.264, H.265, VP9 Mounting kit X Ambient light sensor Ves Remote control included Ves Remote control type RC933	Video formats supported			45.7 kg
Video compression formats AV1, H.264, H.265, VP9 Ambient light sensor ✓ Ambient mode Yes Mounting kit X Remote control included ✓ Remote control type RC933	• • •			1
Ambient light sensor Ambient mode Yes Remote control included Remote control type RC933	•	•	·	
Ambient mode Yes Remote control type RC933	•			
	•			
BIIGITHESS DELECTION ► Southable iniciaded ★			• •	
	brightness detection	•	Journal included	^

Performance Logistics data 190 cm Pallet net width Colour detection Pallet net length 80 cm Al Upscale Pallet net height 126.1 cm Backlight dimming technology Local Dimming Products per pallet 4 pc(s) TCL AiPQ Pro Engine Picture processing technology Other features Noise reduction * High Dynamic Range (HDR) Battery weight 15 g supported * Built-in camera × Processor cores Battery technology Alkaline AMD FreeSync Country of origin Poland AMD FreeSync type FreeSync Premium Pro Cadmium Doesn't contain Auto Low Latency Mode (ALLM), Digital Living Network Alliance Game features Game Bar 3.0, Variable Refresh (DLNA) certified Rate (VRR), Game Master Pro 3.0 Warranty period 2 year(s) Calman Ready 4K Ultra HD upscaling Adaptive picture



5901292522995

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.