



## TCL C84 65C849 TV 165,1 cm (65") 4K Ultra HD Smart TV Wifi Noir 2000 cd/m²


Marque : TCL

Famille de produit: C84

Code produit: 65C849

Nom du produit : 65C849

TCL C84 65C849. Taille de l'écran: 165,1 cm (65"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: QLED, Forme d'écran: Plat, Rétroéclairage LED: Mini LED. Smart TV. Mouvement d'interpolation technologie: PPI (Picture Performance Index) 4400, Luminosité de l'écran: 2000 cd/m², Temps de réponse: 5,7 ms, Format d'image: 16:9. Format du système de signal numérique: DVB-C, DVB-S2, DVB-T2. Wifi, Ethernet/LAN. Couleur du produit: Noir



Display		Performance	
Display diagonal *	165.1 cm (65")	USB cloning	✓
HD type *	4K Ultra HD	Ports & interfaces	
Display technology *	QLED	HDMI version	2.1
LED backlighting type	Mini LED	HDMI Quick Switch	✓
Screen shape *	Flat	Audio Return Channel (ARC)	✓
Native aspect ratio *	16:9	HDCP	✓
Display brightness *	2000 cd/m²	HDCP version	2.2
Response time	5.7 ms	PC in (D-Sub) *	✗
Progressive scan	✓	DVI port	✗
Motion interpolation technology *	PPI (Picture Performance Index) 4400	Ethernet LAN (RJ-45) ports	1
Native refresh rate	144 Hz	USB 2.0 ports quantity *	1
Display refresh rates supported	100 Hz, 120 Hz, 144 Hz, 240 Hz	Audio (L/R) out	1
Dynamic contrast ratio marketing name	Mega Contrast	Digital audio optical out	1
Colour depth	10 bit	Headphone outputs	1
Display resolution *	3840 x 2160 pixels	RF ports quantity	2
Display diagonal (metric)	165.1 cm	RF connector type	F, IEC
Colour gamut standard	Rec. 709	Common interface (CI) *	✓
Peak luminance ratio	65%	Common interface Plus (CI+) *	✓
TV tuner		Common interface Plus (CI+) version	1.4
Tuner type *	Analog & digital	HDMI ports quantity *	4
Analog signal format system *	NTSC, PAL, PAL BG, PAL DK, PAL I, PAL L, SECAM, SECAM L	Consumer Electronics Control (CEC)	T-link
Digital signal format system *	DVB-C, DVB-S2, DVB-T2	Management features	
Number of tuners	1 tuner(s)	Control type	Buttons, Wireless
Auto channel search	✓	Voice control	✓
Smart TV		Electronic Programme Guide (EPG)	✓
Smart TV *	✓	Programming period	8 day(s)
Internet TV *	✓	On Screen Display (OSD)	✓
Operating system installed *	Google TV	Number of OSD languages	29
Operating system version	ATV 11.0		
Screen mirroring	✓		

Smart TV		Management features	
Apple AirPlay 2 support	✓	On Screen Display (OSD) languages	ALB, Bulgarian, Croatian, Czech, Danish, German, Dutch, English, Spanish, Estonian, Finnish, French, Greek, Hungarian, Italian, LAT, Lithuanian, MAC, Norwegian, Polish, Portuguese, Romanian, Russian, SER, Slovak, Slovenian, Swedish, Turkish, Ukrainian
Hybrid Broadcast Broadband TV (HbbTV)	✓		
Hybrid Broadcast Broadband TV (HbbTV) version	2.0.2		
Built-in Chromecast	✓		
App distribution platform	Google Play		
Video apps	Amazon Prime Video, Apple TV, Disney+, HBO, Netflix, Twitch, YouTube	Picture-in-Picture	✓
Music apps	Spotify	Auto power off	✓
Audio		Sleep timer	✓
Number of speakers *	2	Firmware upgradeable	✓
RMS rated power *	40 W	Firmware upgradeable via	Network, USB
Audio output channels	2.1.2 channels	Works with Amazon Alexa	✓
Built-in subwoofer	✓	Works with the Google Assistant	✓
Subwoofer RMS power	20 W	Power	
Audio decoders	DTS, Dolby Atmos, DTS:X, Dolby Digital AC4, Dolby TrueHD	Power consumption (typical) *	330 W
Equalizer	✓	Power consumption (standby) *	0.5 W
Equalizer bands quantity	7	Energy efficiency class (SDR) *	G
Auto volume leveller	✓	Energy efficiency class (HDR) *	G
Enhanced Audio Return Channel (eARC)	✓	Energy consumption (SDR) per 1000 hours *	111 kWh
Network		Energy consumption (HDR) per 1000 hours *	250 kWh
Wi-Fi *	✓	AC input voltage	220-240 V
Wi-Fi standards	Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	AC input frequency	50 Hz
Bluetooth *	✓	Energy efficiency scale	A to G
Bluetooth version	5.2	Certificates	
Ethernet LAN *	✓	Certification	Imax Enhanced, TÜV Rheinland
Wi-Fi Direct	✓	Technical details	
Bluetooth profiles	A2DP, HID	Chemical tax (Sweden)	✓
Miracast	✓	Chemical tax reduction (Sweden)	50
Browsing	✓	Processor	MT5889 / 4x CA73
Web browser	✓	Weight & dimensions	
HID support	✓	Width (with stand)	1446 mm
Design		Depth (with stand)	320 mm
Product colour *	Black	Height (with stand)	865 mm
VESA mounting *	✓	Weight (with stand)	25.3 kg
Panel mounting interface	400 x 400 mm	Width (without stand)	1446 mm
Ambient lighting	✗	Depth (without stand)	79 mm
Frameless design	✓	Height (without stand)	836 mm
Introduction year	2023	Weight (without stand)	22 kg
Bezel type	3 Bezel-less	Stand width	36.5 cm
Stand type	Center stand	Stand depth	32 cm
Stand colour	Black	Packaging data	
Performance		Package width	1645 mm
High Dynamic Range (HDR) technology	Dolby Vision IQ, High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)	Package depth	175 mm
Game mode	✓	Package height	995 mm
Teletext function	✓	Package weight	31.5 kg
Subtitles function	✓	Packaging content	
Video formats supported	AVI, H.264, H.265, MKV, MP4, MPG, TS, VP9, WEBM, WMV	Desktop stand	✓
Audio formats supported	MP3, WMA	Mounting kit	✗
		Cables included	AC
		Remote control included	✓
		Remote control type	RC833

Performance		Packaging content	
Image formats supported	BMP, HEIF, JPG	Manual languages	Bulgarian, Czech, Danish, German, Dutch, English, Spanish, Estonian, Finnish, French, Greek, Hungarian, Italian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, SER, Slovak, Slovenian, Swedish, Turkish, Ukrainian
Ambient light sensor	✓		
Ambient mode	Yes		
Brightness detection	✓		
Colour detection	✓		
Backlight dimming technology	Local Dimming	Logistics data	
Picture processing technology	TCL AiPQ 3.0 Processor	Pallet net width	165 cm
Noise reduction *	✓	Pallet net length	108 cm
High Dynamic Range (HDR) supported *	✓	Pallet net height	2.13 m
Processor cores	4	Products per pallet	12 pc(s)
AMD FreeSync	✓	Quantity per truck	192 pc(s)
AMD FreeSync type	FreeSync Premium Pro	Number of pallets per truck	16 pc(s)
Game features	Auto Low Latency Mode (ALLM), Game Bar 2.0, Variable Refresh Rate (VRR)	Other features	
4K Ultra HD upscaling	✓	Apple HomeKit support	✓
Adaptive picture	✓	Battery weight	15 g
Multi View	✓	Cord length	1.5 m
Smartphone/tablet remote support	✓	Processor frequency	1.4 GHz
		Battery technology	Alkaline
		Country of origin	Poland
		Power plug type	Type E
		Doesn't contain	Lead
		Digital Living Network Alliance (DLNA) certified	✓
		Warranty period	2 year(s)



5901292520069

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-NOV-2024. Prints or copies of Information are only valid on the printed Publication date